

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.09.2020 Version number 2 Revision: 20.07.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier
- Trade name: Körapop ALU
- Article number: R038161-00
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Sealant
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kömmerling Chemische Fabrik GmbH Zweibrücker Straße 200 D-66954 Pirmasens

Tel.: +49 (0)6331/56-2000 www.koe-chemie.de

- Informing department:

Abteilung: EU Regulatory Engineering Adhesives (department: EU Regulatory Engineering Adhesives)

E-Mail: Productsafety@Koe-Chemie.de

- 1.4 Emergency telephone number:

In case of poisoning: GBK-EMTEL International

Tel.(24h): +49(0)6132/84463 (all languages)

In case of transport accidents:

Tel.(24h): (001) 352 323 3500 (Infotrac - Contract ID: 90373 / GBK)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the CLP regulation.
- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Additional information:

EUH208 Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine, bis-(1,2,2,6,6-pentamethyl-4-piperidinyl)-sebacate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

GB

(Contd. on page 2)



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 20.07.2020 Printing date 11.09.2020 Version number 2

Trade name: Körapop ALU

(Contd. of page 1)

15-25%

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- **Description**: Mixture of several substances

- Dangerous components:

CAS: 28553-12-0 diisononyl phthalate EINECS: 249-079-5

substance with a workplace exposure limit

Reg.nr.: 01-2119430798-28-xxxx

- SVHC Doesn't contain SVHC-substances.

- Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing Call a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

Water spray

Alcohol-resistant foam

Fire-extinguishing powder

Carbon dioxide

- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.09.2020 Version number 2 Revision: 20.07.2020

Trade name: Körapop ALU

(Contd. of page 2)

SECTION 7: Handling and storage

- -7.1 Precautions for safe handling Use only in well ventilated areas.
- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Protect from frost.

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

Store in dry conditions.

- Storage class (according german VCI-concept): 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- 8.1 Control parameters

- Components with limit values that require monitoring at the workplace: CAS: 28553-12-0 diisononyl phthalate			
			WEL (Great Britain) Long
- Additional Occupational Exposure Limit Values for possible hazards during processing:			
CAS: 67-56-1 methanol			
WEL (Great Britain)	Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk		
IOELV (European Union)	Long-term value: 260 mg/m³, 200 ppm Skin		

- Additional information:

The homogenous mixing of this product is safeguarded by continual physical testing. Raw materials which formerly had dust-like properties are completely incorporated into the liquid / paste-like mass. Subsequently, possible TLVs for solid substances are not given, as there is no more danger of inhaling these substances (when dealing with this mixture)!

- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of the work.

Immediately remove all soiled and contaminated clothing

- Breathing equipment: Not required.
- Protection of hands (DIN EN 420):

Direct contact with the chemical preparation must be avoided by organizational measures. Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

Compliance with the stated penetration time (starts with the first product contact) must be ensured!

(Contd. on page 4)

on page 4)

Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.09.2020 Version number 2 Revision: 20.07.2020

Trade name: Körapop ALU

(Contd. of page 3)

The gloves need to be disposed of after the penetration time and new gloves used!

- For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the "Barrier 02-100" underglove from Ansell (penetration time 480 min).

- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber (0.7mm - penetration time 15 min)

- As protection from splashes gloves made of the following materials are suitable:

Recommended for protection from splashes: disposable nitrile gloves (minimum thickness 0.12 mm) with long cuffs. After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

- Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

- Flash point:

Form: Pasty

Colour: According to product specification

>100 °C

Odour: CharacteristicOdour threshold: Not determined.

- Change in condition

Initial boiling point and boiling range: undetermined

- Ignition temperature: 420 °C
- Explosion limits:
Lower: 0.4 Vol %

Upper: 2.9 Vol %

- Specific gravity at 20 °C: 1.08 g/cm³

- Vapour density Not determined.

- Evaporation rate Not determined.

- Solubility in / Miscibility with

Water: Insoluble

- Partition coefficient: n-octanol/water: Not determined.

- Solvent content:

 VOC (EU):
 0.3 g/l

 VOC (EU):
 0.03 %

 VOC (CH):
 0.03 %

- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.

(Contd. on page 5)



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.09.2020 Version number 2 Revision: 20.07.2020

Trade name: Körapop ALU

(Contd. of page 4)

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions

Reacts with acids

Reacts with strong oxidizing agents

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

In case of fire, the following substance(s) may occur:

Nitrogen oxides

Contact with water (or air humidity) liberates minor quantities of:

methanol

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Prolonged or repeated contact with the skin may cause skin irritation
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- **Aquatic toxicity:** No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Do not allow product to reach ground water, water course or sewage system.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Disposal in accordance with official regulations
- EWC-Code(s):

To be treated as industrial waste: do not dispose of in or on soil, in watercourses or bodies, or

(Contd. on page 6)

GB -



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.09.2020 Version number 2 Revision: 20.07.2020

Trade name: Körapop ALU

(Contd. of page 5)

through a sewage system. These EU refuse code numbers are recommendations for waste accruing through the use of adhesives and sealants. Any waste produced from organic solvents or other dangerous substances (according GHS) listed under item 3 of this safety datasheet is itself classified as dangerous (*).

Waste accruing during application:

080409* waste adhesives and sealants containing organic solvents or other dangerous substances 080410 waste adhesives and sealants other than those mentioned in 080409

Waste accruing during cleaning:

08 04 11* adhesive and sealant sludges containing organic solvents or other dangerous substances 08 04 12 adhesive and sealant sludges other than those mentioned in 080411

Soiled waste packaging:

15 01 10* packaging containing residues of or contaminated by dangerous substances.

Clean waste packaging:

15 01 01 paper and cardboard packaging

15 01 02 plastic packaging

15 01 04 metallic packaging

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number		
- ADR/RID/ADN, ADN, IMDG, IATA	Void	
- 14.2 UN proper shipping name - ADR/RID/ADN, ADN, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)		
- ADR/RID/ADN, ADN, IMDG, IATA - Class	Void	
- 14.4 Packing group - ADR/RID/ADN, IMDG, IATA	Void	
- 14.5 Environmental hazards:		
- Marine pollutant:	No	
- 14.6 Special precautions for user	Not applicable.	
- 14.7 Transport in bulk according to Anne	ex II of	
Marpol and the IBC Code	Not applicable.	
- UN "Model Regulation":	Void	

GB

(Contd. on page 7)



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.09.2020 Version number 2 Revision: 20.07.2020

Trade name: Körapop ALU

(Contd. of page 6)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 52a
- National regulations
- Information about limitation of use:

Employment restrictions concerning young persons must be observed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

For industrial use only.

- Department issuing SDS:

Abteilung: EU Regulatory Engineering Adhesives (department: EU Regulatory Engineering Adhesives)

- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

- * Data compared to the previous version altered.

GB